Applicants:

Jei-Fu Shaw, et al.

Serial No. :

10/782,287

Filed

: February 19, 2004

Page

: 2 of 9

### **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions and listings of claims in the application:

Attorney Docket No.: 70002-104001

Client Ref. No.: 09A-911128

# Listing of claims:

1-13. (Cancelled)

14. (Currently amended) A method for producing a fermentation product from starch-containing produce, the method comprising:

treating a starch-containing produce slurry with a first starch hydrolyzing enzyme that hydrolyzes starch to oligosaccharide at a temperature under which protein coagulates,

removing insoluble materials from the slurry to obtain a starch hydrolysatecontaining solution,

treating the starch hydrolysate-containing solution with a second starch hydrolyzing enzyme that hydrolyzes starch or oligosaccharide to glucose to obtain a glucose-rich syrup, and

growing a microorganism in the glucose-rich syrup <u>as is</u> to produce a fermentation product.

- 15. (Original) The method of claim 14, wherein the first starch hydrolyzing enzyme is  $\alpha$ -amylase and the second starch hydrolyzing enzyme is glucoamylase.
- 16. (Previously presented) The method of claim 15, wherein the fermentation product is wine, vinegar, lactic acid, citric acid, or amino acids.

#### 17. (Cancelled)

18. (Previously Presented) The method of claim 16, wherein the produce is rice, tapioca, grain sorghum, potato, sweet potato, wheat, barley, corn, or legumes.

Applicants:

Jei-Fu Shaw, et al.

Serial No.

10/782,287

Filed

February 19, 2004

Page

3 of 9

19. (Previously presented) The method of claim 14, wherein the fermentation product is wine, vinegar, lactic acid, citric acid, or amino acids.

Attorney Docket No.: 70002-104001

Client Ref. No.: 09A-911128

(Original) The method of claim 14, wherein the produce is rice, tapioca, 20. grain sorghum, potato, sweet potato, wheat, barley, corn, or legumes.

# 21-30. (Cancelled)

- (Previously presented) The method of claim 14, wherein the temperature 31. is 90 °C.
- (Previously presented) The method of claim 15, wherein the temperature 32. is 90 °C.
- (Previously presented) The method of claim 16, wherein the temperature 33. is 90 °C.
- 34. (Previously presented) The method of claim 18, wherein the temperature is 90 °C.
- 35. (Previously presented) The method of claim 19, wherein the temperature is 90 °C.
- (Previously presented) The method of claim 20, wherein the temperature 36. is 90 °C.

## 37-44. (Cancelled)

Applicants:

Jei-Fu Shaw, et al.

Serial No.

10/782,287

Filed

February 19, 2004

Page : 4 of 9

45. (Currently amended) The method of claim 14, wherein the first starch hydrolyzing enzyme is α-amylase and the second starch hydrolyzing enzyme is glucoamylase and wherein the glucose-rich syrup contains 105–114 mg/ml or 114 mg/ml glucose and the growing step is carried out by growing Aspergillus oryzae for three days to produce the fermentation product containing 10.5% ethanol or for five days to produce the fermentation product containing 13.5% ethanol.

Attorney Docket No.: 70002-104001

Client Ref. No.: 09A-911128

# 46. (Cancelled)

- 47. (Previously presented) The method of claim 45, wherein the fermentation product is wine.
- 48. (Previously presented) The method of claim 45, wherein the produce is rice, tapioca, grain sorghum, potato, sweet potato, wheat, barley, corn, or legumes.

49-52. (Cancelled)